### - Graphy -


## **Ultimate Stats Monitor & Debugger**

Asset version: v3.0.5

Author: Martín Pane (Studio: Tayx)

### **Contact information:**

- → Email (martintayx@gmail.com)
- → Twitter (@martinTayx)
- → Discord (https://discord.gg/2KgNEHK)



Hi, and thank you for downloading Graphy!

I hope you find this asset as useful as I have to debug and monitor your Unity projects. In here you will find a detailed overview of all the functions and options Graphy offers you. If something is still not clear after reading this, or if you want to request a feature or report a bug, scroll down to the bottom and you will find links to contact me through various ways.

- → Introduction: Graphy is a set of tools that offers the following:
  - ◆ FPS graph & counter.
  - Memory (RAM) graph & counter.
  - ◆ Audio spectrometer graph & dB counter.
  - Advanced device data.
  - Debugger script.

## → How to use:

- ◆ Just drag the prefab from "Tayx/Graphy Ultimate Stats Monitor/Prefab" into the scene you want!
- ◆ It will survive scene changes, it uses the Singleton pattern and DontDestroyOnLoad.
- ◆ Be careful not to try to access it from code if it's not instantiated in the scene, it won't work.

#### → Common module features:

- ◆ Module Position: defines the position where the module will be located.
- Module state:
  - **FULL:** complete module with all its features.
  - **TEXT:** hides the graphs and just shows the text.
  - **BASIC:** shows just the basic module information.
  - **BACKGROUND:** monitors the data in the background, making it accessible from code.
  - OFF: turns the module completely off, making it inaccessible from code.
     Careful, this also breaks functionality with the debugger (that uses the monitors to read data).
- Graph color: sets the color of the graph.
- ◆ **Graph resolution:** sets the amount of points the graph is divided into. Be careful with very high graph resolutions with low resolution screens, the graph may have issues drawing all the points.
- ◆ Text update rate: defines how many times per second the text updates.

#### → FPS module:

- ◆ Thresholds: values used to switch between the different colors associated with the text and graph.
- ◆ 1% and 0.1% lows: indicates frame time consistency. Lower 1% and 0.1% shows how often and bad the game will stutter




→ RAM module: has no specific controls.



## → Audio module:

- Find audio listener: this will only apply if AudioListener is null.
  - **ALWAYS:** constantly scans for the AudioListener component in the main camera.
  - ON SCENE LOAD: scans for the AudioListener in the main camera every time a scene loads.
  - NEVER: never scans for the AudioListener.
- ◆ Audio Listener: reference to the AudioListener you want to use.
- ◆ FFT Window: Used to reduce leakage between frequency bins/bands. Note, the more complex the window type, the better the quality, but reduced speed. Simplest is rectangular. Most complex is BlackmanHarris.
- ◆ Spectrum size: Has to be a power of 2 between 128-8192. The higher the sample rate, the less precision, but also more impact on performance. Careful with mobile devices.



- → Advanced data module: shows information about the device.
  - ◆ Screen data: resolution, refresh rate.
  - ♦ Window data: resolution, refresh rate, dpi.
  - ◆ Graphics API: OpenGL/DirectX/etc.
  - ◆ **GPU:** VRAM, Max texture size, Shader level.
  - ◆ RAM: system available memory.
  - OS: operating system.

Screen: 3840x2160@60Hz Window: 3840x2160@60Hz[96dpi] Graphics API: OpenGL ES 2.0 [emulated] GPU: Emulated GPU running OpenGL ES 2.0 VRAM: 4071MB. Max texture size: 4096px. Shader level: 30 CPU: Intel(R) Core(TM) i7-4770K CPU @ 3.50GHz [8 cores] RAM: 16291 MB OS: Windows 10 (10.0.0) 64bit [Desktop] → The Debugger: this component is a powerful feature that allows you to set a number of conditions, that, if met, will start a chain of actions defined by you. It's designed around Debug Packets. Each Debug Packet can have different conditions and actions.


## Common parameters:

- Active: If not active, it will be skipped when the debugger checks Debug Packets
- ID: Optional, but it's used to operate with Debug Packets from code.
- **Execute once:** If true it will only be executed once, then it will delete itself.
- Init sleep time: Time to wait before checking this Debug Packet.
- Sleep time after execute: Only applies if "Execute Once" is false. Time to wait before checking this Debug Packet after it's been executed.



#### Conditions:


- Condition evaluation: defines if all conditions must be met, or just one of them.
- Variable: which variable to compare against the value specified.
- Comparer: <, <=, ==, >=, >.
- Value: float value used to compare against the variable specified.



#### **Actions:**

- Message type: standard types of console log: Log, Warning, Error.
- Message: text message you want to send to the console.
- **Take screenshot:** takes a screenshot.
- Screenshot file name: screenshot name. Avoid this characters: "\* . \" / \\ []: ; | = ," (without the quotes). It will have the date appended at the end to avoid overwriting. The location where the image is written to can include a directory/folder list. With no directory/folder list the image will be written into the Project folder. On mobile platforms the filename is appended to the persistent data path.
- Debug break: pauses the Unity Editor.
- **Unity events:** a Unity event wrapper that can be serialized and modified from the Unity Editor.

 System.Action (only accessible from code): call your own methods from code adding System.Action to the Debug Packet you want, retrieving it with its ID.




# → Graphy Mode:

- ◆ **FULL:** unlocks all the features to their maximum potential.
- ◆ **LIGHT:** limits some small things to improve compatibility with older hardware (for example, the maximum graph resolutions is reduced).
- → **Keep Alive:** if true, Graphy will survive scene changes. Careful, if Graphy is set as a child of another object, both will survive scene changes.

# → Background

◆ If ticked, a background overlay will be applied to all modules. The color will be the selected one.



## → Hotkeys

- ◆ Toggle modes: switches between various layouts and modules.
- ◆ Toggle active: toggles Graphy ON/OFF



## → Scripting

- ◆ Add the namespace: Add "using Tayx.Graphy;" to the top of your .cs file.
- ◆ **GraphyManager:** through this class you can access all the stats related variables, like CurrentFPS, AllocatedMemory, etc.
- ◆ **GraphyDebugger:** through this class you can access the various Debug Packets to deactivate them, add System.Action callbacks, etc.

```
// Use this for initialization
0 references
void Start ()
{
   var fps = GraphyManager.Instance.CurrentFPS;
   GraphyDebugger.Instance.RemoveAllDebugPacketsWithId(2);
}
```

# **♦** Advanced stuff:


• Add callbacks to an existing Debug Packet:

```
Action TestAction = null;
TestAction += TestMethod;
GraphyDebugger.Instance.AddCallbackToFirstDebugPacketWithId(TestAction, 5);
```


Add a new Debug Packet:

#### → Customization Scene:

- ◆ It can be found at: "Assets\Tayx\Graphy Ultimate Stats Monitor\Scene\Customize Graphy"
- ◆ Allows setting all the parameters in runtime



◆ Once you have the desired values, just copy the component, exit play mode, and paste the component values, like this:



I've you've read until here, thank you! I hope that you enjoy Graphy and that it makes your developer life easier. It would be highly appreciated if you leave a review in the Asset Store, and if you want to **contact me,** don't hesitate to get in touch through:

- → Email (martintayx@gmail.com)
- → <u>Twitter (@martinTayx)</u>
- → <u>Discord (https://discord.gg/2KgNEHK)</u>

### FAQ:

- → Why does the FPS value in the Stats windows in the Game tab different from Graphy's FPS value?
  - ◆ That value is an estimation of the FPS you would get in a build, without the Editor overhead. Graphy reports the current real FPS value.
- → Do you have an approximate ms figure on typical midrange desktop hardware, with all features enabled?
  - ◆ Yes, less than 0.1 ms in a build and around 0.3-0.7 ms in the Editor due to the extra Editor overhead.
- → How is Graphy rendered?
  - ◆ It's being rendered through the Unity UI. Graphy is contained in a standard Canvas, and you have complete control over it.

